



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 1 of 7

**Voluntary product information based on the format of a safety data sheet
for coated abrasives**

1. Identification of the product and of the company/undertaking

1.1 Product identifier

Coated abrasives, (Annex-Group3)

1.2 Use of the product

Coated abrasives for the grinding/sanding of different kinds of materials (metals, wood, plastics, marble & stones, etc.).

1.3 Details of the supplier of the voluntary product information:

Company: Karbosan Zımpara Taşı San. A.Ş.

Address:

Bonded Abrasive Plant: Halkalı Yolu No:253 Sefaköy / Istanbul TURKEY

Phone: +90 212 6989090 Fax:+90 212 6989096

E-mail: info@karbosan.com.tr

Coated Abrasive Plant: Veliköy Sanayi Bölgesi Sanayi Cad. No. 74 Çerkezköy-Tekirdağ / Turkey

Phone: +90 282 7461391 Fax: +90 212 4716785

Email: export@karbosan.com.tr

Web : www.karbosan.com.tr

National contact: Canan GUNSEVER

1.4 Emergency telephone number: +90 212 6989090

2. Hazards identification

2.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

See also section 8 and 16.

2.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

2.3. Other hazards

Not known.



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 2 of 7

3. Composition/information on ingredients

The product contains the following ingredients which are classified according to 67/548/EEC or Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-N°	CAS-N°	REACH Registration N°	Conc. (%)	Classification acc. to Regulation (EC) N° 1272/2008 (CLP)		Classification acc. to Directive 67/548/EEC
					Hazard classes/ hazard categories	Hazard statements	
Cryolite	237-410-6	13775-53-6	05-2114651572-49- 0000	As annexed	Acute Tox. 4 STOT RE 1 Repr . 2 Aquatic Chronic 2	H332 H372 H362 H411	T; R48/23/25 Xn; R20 N; R51/53 R64
Potassium fluoroborate	237-928-2	14075-53-7	-	As annexed	Eye Irrit. 2A	H319	Xi; R36

(For full text of H- and R-phrases see section 16)

4. First aid measures

See also section 8 and 16

4.1. Description of first aid measures

Inhalation: Not possible, due to the form of the product
Eye contact: Not possible, due to the form of the product
Skin contact: No harmful effects known
Ingestion: Not likely, due to the form of the product; if necessary contact physician
Note to physician: Not available.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

5. Fire fighting measures

5.1. Extinguishing media

Extinguishing media: water, foam, sand, powder or CO₂ as appropriate for surrounding materials

5.2. Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

5.3. Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

8. Exposure controls/personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance.
(Observe also the regional official regulations)

Limit value type (country of origin)	substance	EC-N°	CAS-N°	Occupational limit value				Peak limit	source, remark
				Long term		Short term			
				mg/m ³	ml/m ³ (ppm)	mg/m ³	ml/m ³ (ppm)		
for EU	Cryolite	237-410-6	13775-53-6	2,5					Directive 2000/39/EC; Fluoride (inorganic as F)
for EU	Potassium fluoroborate	237-928-2	14075-53-7	2,5					Respirable dust as F

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

8.2. Exposure controls

8.2.1. Individual protection measures

8.2.1.1. Respiratory protection: Use respiratory protective equipment

(type depends on specific application and material being ground)



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 4 of 7

- 8.2.1.2. Hand protection: Wear protective gloves
(type depends on specific application and material being ground)
- 8.2.1.3. Eye protection: Wear protective goggles or face shield
(type depends on specific application and material being ground)
- 8.2.1.4. Hearing protection: Use hearing protection
(type depends on specific application and material being ground)
- 8.2.1.5. Body protection: Use protective clothing
(type depends on specific application and material being ground)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

- 9.1 Physical state: solid
- 9.2 Colour: variable
- 9.3 Solubility in water: Not applicable

9.2. Other information

None.

10. Stability and reactivity

10.1. Reactivity

Coated Abrasives are stable when handled or stored correctly.

10.2. Chemical stability

No decomposition in normal use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Coated Abrasives are stable when handled or stored correctly.

10.5. Incompatible materials

No dangerous reactions known.

10.6. Hazardous decomposition products

At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated.

11. Toxicological information

11.1. Information on toxicological effects



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 5 of 7

No toxicological effects if inhaled or swallowed or with eye or skin contact are known.
See also section 8.

12. Ecological information

12.1. Toxicity

No effects known.

12.2. Persistence and degradability

No biodegradable potentials known.

12.3. Bioaccumulative potential

No potentials known.

12.4. Mobility in soil

No potentials known.

12.5. Results of PBT and vPvB assessment

Not relevant.

12.6. Other adverse effects

No effects known.

13. Disposal considerations

13.1. Waste treatment methods

13.1. Product

Follow national and regional regulations.

Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC – Nr. 120120)

13.2. Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the product

No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment

Not relevant.



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 6 of 7

16. Other information

Changes to the previous versions

See sections 1 to 16.

Literature and data sources

Directive (1999/45/EC), amended by Regulation (EC) N°. 1907/2006.
Directive (67/548/EEC), amended by Directive 2009/2/EC.
REACH Regulation (EC) Nr. 1907/2006, amended by Regulation (EC) N° 552/2009.
Regulation (EC) N° 1272/2008, amended by Regulation (EC) N° 790/2009.
Directive 2000/39/EC, amended by Directive 2009/161/EC
Directive 75/324/EEC, amended by Regulation (EC) N° 219/2009.
Transport regulations according to ADR, RID und IATA.

Hazard statements referred to in section 2 and 3

According to Regulation (EC) N° 1272/2008:

H – phrases for cryolite;

H 332 Harmful if inhaled
H 372 May cause damage to organs (lung, skeleton) to prolonged or repeated exposure
H 362 May cause harm to breast-fed babies
H 411 Toxic to aquatic life with long lasting effects

H – phrases for potassium fluoroborate;

H319 Causes serious eye irritation.

According to Directive 67/548/EEC:

R – phrases for cryolite;

R 20 Harmful by inhalation
R 48/23/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation and if swallowed
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 64 May cause harm to breast-fed babies

R – phrases for potassium fluoroborate;

R36 Irritating to eyes

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: Quality Assurance Department

Contact: Canan GUNSEVER



FEDERATION EUROPEENNE DES
FABRICANTS DE PRODUITS ABRASIFS



Reference / Product name: Coated
Abrasives Group3 (Annex)
Version/Revision (date) : 29.07.2016
Printing date: 29.07.2016

page 7 of 7

Annex Group 3

Code	Grit Range	Colour	Solubility	Concentration of Cryolite	Concentration of Potassium Fluoroborate
AJFR10	P:60-600	Green	insignificant	0-7%	0-3%
AJFR11	P:60-600	Green	insignificant	0-7%	0-3%
AWR51	P:16-400	Green	insignificant	2-5%	5-12%
CEF51	P:60-120	Light Red	insignificant	2-5%	5-12%
CER51	P:24-120	Light Red	insignificant	2-5%	7-12%
CEY51	P:40-80	Light Red	insignificant	2-5%	7-12%
CEYYR51	P:24-120	Light Red	insignificant	2-5%	7-12%
ZWR51	P:24-220	Blue	insignificant	2-5%	7-12%
ZXSP51	P:60-120	Blue	insignificant	2-5%	5-13%
ZYSP51	P:24-50	Blue	insignificant	2-5%	7-12%
	P: FEPA				